

Fiber Optic Terminal Box Model: BOIT-OPT12SC-DR




BOIT-OPT12SC-DR Terminal Box body is made of high quality flame-retardant ABS+PC, The face plate is made of cold rolled steel. It is mainly used for DIN RAIL mounting. Suitable for fiber optic cable & pigtail splicing and protection.

Features:

- Light weight ABS+PC material, fire retardant UL94-V0
- Nice structure of turnover design, easy to operate.
- Optional face plate for ST, LC, SC, FC ... adapters.
- DIN RAIL mounting without screw, convenient for maintenance.
- Optional DIN mounting rack, can load into cabinet.
- Come with 2pcs cable gland PG13.5, suitable for diameter 6~11MM cable.





Size:



size (W 35mm×H 133mm×L 130mm)

Cable management guide:



Model:

Model	Adapter port	Adapter Qty(Pcs)	Fiber count
BOIT-OPT12SC-DR	SC simplex	12	12

Packing:

	Carton Size L*W*H	GW(kg)	Remark
Inner box	16.5*15.5*4.5cm	0.33kg	put in bubble bag
Outer box	49*48*36cm	13.7kg	36sets/ctn

DIN mounting Rack specifications (Optional):

Name	Model	Size	DIN-FB quantity loaded
Rack	-	482.6x88x180mm	Max 12pcs

Product picture:

