

WALL MOUNTING OUTDOOR TELECOM CABINET



Overview

Telesystem provide outdoor cabinet solutions that integrate telecom equipment, power supply systems, environmental monitor systems, cooling systems, power supply and lightning protection systems, etc.

Applied to various outdoor scenes such as roofs, street, mountains, railways, and various other complex outdoor environments.

Operation Environment

- Working Temperature:-20 ~ +60°C
- Storage Temperature:-40 ~ +65°C
- Working relative humidity: no more than 80% (at +30°C)
- Storage relative humidity: ≤ 90%~96% (40° C±2°C)
- Atmospheric pressure: 70kpa ~ 106kPa.

Features

- Outdoor cabinet suitable for a variety of outdoor environments
Waterproof, Anti-corrosion, Durable
- IP degree: IP55, IP65
- Variety material optional: Galvanized sheet, Stainless Steel, Aluminum
- Variety cooling options to choose, Fans, Air condition, Heat exchange
- Floor mounting, wall mounting, pole mounting.
- Accept customized product.
- Various sensors, power distribution box, monitor, battery, etc, Optional.



3 point door lock



TEC200W



door stopper



light



wall mounting bracket



fans



shelves



door sensor



grounding bar

Specifications:

Certification	ISO,CE, RoHS
Structure	Double layer structure
Cabins	Single cabin
Material	Galvanized sheet
Doors	Front door
Thickness	19"rails:2.0mm,outer panel adopt 1.5mm,internal panel adopt 1.0mm.
Dimension	16U 800H*600W*700Dmm
Cooling method	1*DC48V 200W TEC;
Surface treatment	Painting,plasma electrostatic painting,hot galvanized, powder coating,polishing,brushing,etc.
Mounting method	Wall mounted & Floor mounted;
Optional Accessories	Sensors:1*Door alarm Others:1*Load-bearing triangle wall bracket , 1*AC220V light
IP Degree	IP65;
Color	RAL7035;
Package	Export standard carton box+plywood pallet package,

Drawings

